

LP[®]240/LP[®]250

The highest performers in their class.



- EXPERIENCE THE VALUE OF PROJECTION** a more efficient way to communicate and collaborate in any presentation or meeting
- GREAT RETURN ON INVESTMENT** the projector pays for itself in less than one year
- VERSATILE** carry your projector from room to room, put it on a cart, or mount it on the ceiling
- ABUNDANT SOURCES** plug into your computer, VCR, DVD, digital camera, or PC for big screen Internet, movies, slide shows or PowerPoint presentations
- ACTIVE MONITOR LOOP-THROUGH** view your computer monitor even when the projector is off
- FLEXIBLE IMAGE PLACEMENT** even in small classrooms or meeting rooms, images fit the screen perfectly, wherever the projector is located

InFocus® LP240/LP250



PRESENTATIONS THAT PERSUADE

Your brilliant ideas already hold the attention of your audience or students. But imagine what you could do with images, color, sound, and the ability to show movies or view information on the Internet live to support your message. When you present with an InFocus LP240 or LP250 projector, the possibilities are endless. You can persuade and convince people with a variety of multimedia content. Information retention is higher and collaboration is immediate—people are inspired to participate. The LP240 and LP250 also make small group meetings more efficient—instead of scribbling notes on the whiteboard, you can brainstorm and capture ideas or complete spreadsheets in real-time.

EASY, INTUITIVE, INFOCUS

InFocus projectors add value to your presentation without adding inconvenience. The LP240 and LP250 have a new design that revolutionizes ease-of-use.

Set-up and control of the projector are right at your fingertips.

Color-coded connectors and cables enable you to plug the projector into your computer or video source in seconds.


The intuitive keypad on top of the projector provides many quick and easy adjustments at the touch of a button with user-friendly menus that pop up on

the screen telling you exactly what to do next. You just scroll and select. At only 5.7 lbs/2.6 kg the LP240 and LP250 can be easily carted or carried from room to room. An optional security lock reduces the risk of theft. They can also be ceiling or table-mounted for flexible meeting room configurations – all-around, all-purpose projectors. As a valuable business tool and a shared resource, the LP240 and LP250 are an investment you won't want to live without.



Dual infrared sensors

wireless control of the projector from anywhere



Leveling foot
for perfect image placement

CONTROL YOUR PROJECTOR FROM YOUR PC

ProjectorManager™ software allows you to quickly and easily operate your projector from your computer. Make adjustments to the projected image or change settings without using a remote. When you want to make a minor change to your presentation before showing it to your audience, ProjectorManager enables you to change your content while the image on the



One-touch keypad
access common functions at the touch of a button

USB/PS2 connectivity
flexible mouse control

Audio input
built-in 1-Watt speaker

Computer connectivity
attach your PC for dynamic presentations, collaboration

Active monitor loop-through
view attached desktop monitor—even when the projector is off

Connect both composite video and S-Video
display videos, photos, home movies on the big screen

AC Power


Security Lock Mount
should you need to leave the projector set up overnight



OUTSTANDING PERFORMANCE, RIGHT PRICE

The LP240 and LP250 provide best-in-class performance at a price that won't blow your budget. Connect your projector to a VCR or a DVD player and show movies. Add the Internet to your presentations and refer to information on the Web live on the big screen. You can even connect easily to a digital camera for a larger-than-life slideshow. No matter what you want to project, the LP240 and LP250 make it easy. And, active monitor loop-through means you don't have to unhook the projector

screen remains frozen. If you need a little extra help, you can discreetly troubleshoot or even send e-mail to InFocus Technical Support over the network – no need to look up phone numbers. No matter what comes your way, InFocus makes it easy to stay cool and collected during your presentation.



when it's not in use to view your computer monitor. A zoom lens allows you to easily adjust the size of your image to fit the big screen in your office or classroom, or a small wall at home. And, with picture-in-picture video and one-touch magnify/zoom, you can view a movie or animated file without switching from presentation mode, or highlight key areas of the screen for added emphasis. With features like this, everyone will want the LP240 and LP250 – reserve yours now!



THE WORLDWIDE LEADER IN DIGITAL PROJECTION

InFocus Corporation is the worldwide leader in digital projection. That's why the most demanding businesses insist on InFocus for unquestionable reliability engineered into the most streamlined products. We offer a wide variety of accessories to enhance your image—from stylish carrying cases to presentation screens. And our technology trade-in plan enables you to step up to the latest technology whenever you're ready. There are no limits when you choose InFocus. You can rely on our innovative, cutting-edge technology and unique industrial design. Once you lay eyes on an InFocus projector you'll know you're looking at the leader.

COUNT ON OUR CUSTOMER CARE

For outstanding service and support that's there when you need it, InFocus Corporation's service programs offer you peace of mind—it's customer care you can count on. For more information on service program details for your region, please visit www.infocus.com/service/service_offerings.

Ships Standard With

- **Wireless Conductor™ Remote Control (including batteries)**
- **Power Cord (national and regional variants)**
- **VGA Computer Cable**
- **Composite Video Cable**
- **Audio Cable**
- **Soft Carry Case**
- **Lens Cap**
- **SCART adapter (EMEA only)**
- **Projector System CD includes: multi-language projector User Guide, projector Quick Start Card, ProjectorManager control software, ProjectorManager UG, ProjectorManager Installation Guide, URL/service information/accessories after market**
- **Quick Start Card (printed version)**
- **User Guide (printed version)**

Optional Accessories

| | |
|-----------------|--|
| CA-ATA-012 | Shipping Case (ATA approved) |
| CASE-802 | Samsonite Deluxe Travel Case |
| SP-CEIL-004 | Projector Mount |
| SP-LTMT-PLT | False Ceiling Plate |
| SP-LTMT-EXTP | Mounting Extension Arm |
| SP-LOCK | Projector Security Cable |
| A650 | 50" Diagonal Screen (portable) |
| HW-DLXSCRN | 60" Diagonal Screen (portable) |
| HW-WALLSCR84 | 84" Diagonal Wall/Ceiling Mounted Screen |
| SP-STND | Portable Projector Stand |
| SP-LAMP-005 | Replacement Lamp Module (LP240) |
| SP-LAMP-007 | Replacement Lamp Module (LP250) |
| HW-RF-POCKTPTNT | Mind Path™ RF PocketPoint Remote |
| GYRO-RF | Mind Path™ RF GyroPoint Remote |
| HWPRESENTER | InFocus Presentation Remote |
| SPVGAEXT50-D | 50" VGA Extension Solution |

PROJECTION DISTANCE/IMAGE SIZES*

| Diagonal Screen Size (inches/m) | | Image Width (inches/m) | | Max Distance to Screen (feet/m) | | Min Distance to Screen (feet/m) | |
|---------------------------------|---------|------------------------|---------|---------------------------------|----------|---------------------------------|----------|
| LP240 | LP250 | LP240 | LP250 | LP240 | LP250 | LP240 | LP250 |
| 40/1 | 40/1 | 32/0.8 | 32/0.8 | 5.8/1.8 | 5.7/1.7 | 4.8/1.5 | 4.8/1.5 |
| 50/1.3 | 50/1.3 | 40/1 | 40/1 | 7.3/2.2 | 7.2/2.2 | 6/1.8 | 6/1.8 |
| 60/1.5 | 60/1.5 | 48/1.2 | 48/1.2 | 8.8/2.7 | 8.7/2.7 | 7.2/2.2 | 7.2/2.2 |
| 100/2.5 | 100/2.5 | 80/2 | 80/2 | 14.6/4.5 | 14.5/4.4 | 12/3.7 | 12.1/3.7 |
| 150/3.8 | 150/3.8 | 120/3.1 | 120/3.1 | 21.9/6.7 | 21.8/6.6 | 18/5.5 | 18.1/5.5 |
| 200/5.1 | 200/5.1 | 160/4.1 | 160/4.1 | 29.2/8.9 | 29/8.8 | 24/7.3 | 24.2/7.4 |

Call InFocus or your dealer today to arrange a demonstration.

TECHNICAL SPECIFICATIONS

| | |
|---|--|
| Native Resolution | • LP240 – SVGA 800 X 600 LP250 – XGA 1024 x 768 |
| Display Technology | • LP240 – .55" Poly Silicon TFT LCD LP250 – .7" Poly Silicon TFT LCD |
| Input Sources (standard) | • Computer (VGA 15 pin HDDSUB female); mouse (PS/2 6-pin mini DIN, USB); video (S-Video 6-pin mini DIN and composite video RCA); audio (3.5mm mini jack) |
| Output Sources (standard) | • Monitor out (VGA 15 pin HDDSUB female) |
| Computer Compatibility | • VGA, SVGA, XGA, 1152, SXGA, MAC |
| Video Compatibility | • NTSC, PAL, SECAM, SDTV, EDTV |
| Brightness | • LP240 – 1000 ANSI lumens LP250 – 1100 ANSI lumens |
| Contrast Ratio | • 400:1 |
| Number of Colors | • 16.7 million colors (24 bit) |
| H-Synch Range | • 15 – 100 kHz |
| V-Synch Range | • 43.5 – 130 Hz |
| Pixel Clock | • 12-135 MHz |
| Digital Keystone Correction | • ±15° vertical correction; data/video |
| Projection Lens | • Zoom lens with manual focus and manual zoom adjust |
| Throw Ratio | • 1.8 - 2.15:1 |
| Minimum Projection Distance (standard lens) | • 1.46 m (maximum distance 8.85 m) |
| Aspect Ratio | • 4:3 and 16:9 |
| Image size (diagonal) | • 1.0 m – 5.1 m |
| Projection Methods | • Front, ceiling, rear |
| Audio | • 3.5 mm mini-jack; 1 Watt speaker |
| Control | • Projector keypad; IR remote control; wired control through USB |
| Lamp | • LP240 – 132W UHP/2000 hours LP250 – 150W UHP/2000 hours |
| Dimensions | • 10.0" (W) x 12.0" (L) x 3.7" (H) 25.5 cm (W) x 30.5 cm (L) x 9.5 cm (H) |
| Weight | • 5.78 lbs/2.6 kg |
| Power Consumption | • LP240 – 199W (typical); 210W (maximum) LP250 – 211W (typical); 233W (maximum) |
| Power Supply | • 100V – 240V at 50/60 Hz |
| Operating Temperature | • 5° – 40° C at sea level |
| Menu Languages | • English, Norwegian, Spanish, Italian, Portuguese, German, French, Chinese (simple), Chinese (traditional), Japanese, Korean |
| Audible Noise | • 35dB |
| Approvals | • UL, c-UL, TÜV GS, CE, GOST, C-Tick, CCC, NOM, IRAM, VCCI, FCC B, CISPR22 /EN 55022, EN 55024 / CISPR 24, CB certified according to IEC60950 /EN 60950: 1997, S-JQA, P(SE), MIC |
| Lamp Warranty | • 90 days or 500 hours, whichever comes first |
| Warranty | • 2 years parts and labor |

www.infocus.com

InFocus Corporate Headquarters:
27700B SW Parkway Avenue • Wilsonville, Oregon 97070-9215, USA
Phone: 503-685-8888 • 1-800-294-6400 • Fax: 503-685-8887

In Europe: Olympia 1 • NL-1213 NS Hilversum, The Netherlands
Phone: (31) 35 6474000 • Fax: (31) 35 6423999
Freephone: 008000 4636287 (008000 INFOCUS)

In Asia: 238A Thomson Road • #18-01/04 Novena Square
Singapore 307684 • Telephone: (65) 6334-9005 • Fax: (65) 6333-4525

InFocus and LP are registered trademarks, and ProjectorManager and Wireless Conductor are trademarks of InFocus Corporation. All other trademarks are used with permission or are for identification purposes only and are the property of their respective companies. ©2002 InFocus Corporation. All rights reserved.
*ProjectorManager software is Windows compatible. 805-0674-00. LP240_250_DS_E.qxd.