

**Unmatched portability. Unlimited performance.
The ideal business tool to share your ideas anywhere.**



BRIGHT IMAGE DISPLAY	1100 ANSI lumens
NATIVE XGA RESOLUTION	Clear, full screen detail
INTELLIGENT ELECTRONICS	Sensors detect ambient room light and automatically optimize the image
SILENT OPERATION	One of our quietest projectors yet
RICH, SATURATED COLOR	Impressive InFocus® Quality Video, outstanding image clarity
ONE-TOUCH IMAGE RESIZING	Intuitive optical zoom lens

InFocus® LP70®

KNOWLEDGE IS POWER. SHARE YOURS.

Whether you're presenting or simply capturing information in a group meeting, you won't want to be without the InFocus® LP70. 1100 powerful lumens flood any room with brilliant color and unparalleled clarity. Integrated data, video and audio yield a projector that's ready to make your multimedia presentation larger than life.

OVERACHIEVER, UNDER BUDGET

We squeezed a full-featured projector into a convenient package that won't blow your budget. Overachieving? Maybe. Affordable? Absolutely. A great investment for you and your company, the LP70 raises the bar without raising the price. It's a powerful collaboration tool that makes meetings efficient and more portable than ever.

BUSINESS TOOL AND TRAVELING COMPANION IN ONE

The must-have LP70 combines seamless connectivity, exceptional image quality and rich multimedia performance in an intuitively designed solution. The result? You get the best of all worlds in a smaller, more powerful projector that enables you to collaborate anywhere.

CHANGING THE WORLD ONE MEETING AT A TIME

There's a reason "Mine" was your first word. An ideal partner to your notebook PC, the LP70 completes your personal cutting-edge suite of digital tools. Deliver your message with a tool that's proven to yield higher information retention rates. Weighing only 2.4 pounds (1.1kg) it can go wherever you go, making it easy to share



Optimized for performance and portability
2.4 lbs/1.1 kg

Security lock
should you need to leave the projector set up overnight

Leveling foot
for perfect image placement

Audio input
built-in 1-Watt speaker

information at a moment's notice. Your colleagues, your boss, your team — everyone will benefit from the LP70. A built-in DVI connector gives the LP70 seamless digital-to-digital connectivity. And it's EDTV (Enhanced Definition Television) compatible — you can reap the benefits of enhanced resolution images anytime and project them with ease.

Budgets have limits. Collaboration shouldn't.



Seamless DVI Connectivity
receive both digital and analog signals

One-touch key pad
designed for simple operation

Dual infrared sensors
wireless control of the projector from anywhere



Connect both Composite Video and S-Video
bring multimedia into the meeting room

Ambient room light sensor
detects room lighting and optimizes the image

GREAT MINDS THINK ALIKE

Like you, the LP70 makes a great impression. Its sleek, savvy design turns heads before you turn it on and its compact size makes it the must-have tool for any meeting with 2 or more people. Outstanding image quality communicates your message efficiently and effectively.

FEAST YOUR EYES ON A NEW WAY TO COLLABORATE

Meetings will never be the same again. The InFocus LP70 puts the focus on your ideas wherever you are. Change rooms, change audiences, change cities — the compact LP70 provides flexibility for any environment.

WHAT GOES UP MUST COME DOWN

The LP70 is optimized for quick setup. Setting up before and taking down after a meeting has never been easier. No sales force or conference room should be without one. As a personal business tool the LP70 is optimized for performance and portability.

INTUITIVE DESIGN, IMPRESSIVE FEATURE SET

Exclusive ProjectorManager™ control software allows projector control via the PC, enhanced presentation effects, even logo and start-up screen customization. Adjust control source, color, tint, brightness and keystone quickly and easily. And should you need IT support ProjectorManager sends a snapshot of the projector information so you don't have to waste time looking for information or guessing which projector model you have. ProjectorManager even provides power users the ability to freeze the projected image, for changes without distracting others looking at the screen. Picture-in-Picture for multiple sources, magnification to enlarge key areas of a file or masking to reveal images one piece at a time. With an InFocus projector — you're in control.



InFocus®



LEADERSHIP BUILT ON QUALITY

InFocus Corporation is the worldwide leader in digital projection. That's why the most demanding businesses insist on InFocus for unquestionable reliability engineered into the most streamlined machine.

SERVICE YOU CAN COUNT ON

For outstanding service and support that's there when you need it, InFocus Corporation's service programs offer you peace of mind—it's customer care you can count on. To find out more information on service program details for your region, please visit www.infocus.com/service/service_offerings

Ships Standard With:

- **Wireless BatMouse IV remote control (including batteries)**
- **Power cord (national and regional variants)**
- **M1-A analog computer cable with USB**
- **Composite video cable**
- **Audio cable**
- **Soft carry case**
- **Projector System CD**
CD includes:
multi-language user guide, Quick Start Guide, ProjectorManager™ control software, ProjectorManager™ Installation Guide, ProjectorManager™ User Guide
- **Quick Start Card**
- **Lens cap**
- **User Guide**
- **Safety instructions/warnings**

Optional Accessories

CA-EXE-002	Executive Leather Carry case – accommodates projector and laptop
SP-LAMP-003	Replacement lamp
CA-ATA-010	Shipping case (ATA approved)
CA-DLX-001	Deluxe Euro-style soft carry case – accommodates projector and laptop
CA-WHL-002	Samsonite® deluxe wheeled case – accommodates projector and laptop
HW-VGA2OUT	1 in 2 out VGA splitter (monitor loop-thru)
SP-LOCK	Projector security lock
HW-RF-POCKTPNT	MindPath™ RF Pocket Point remote
A650	Screen, 50" portable
HW-DLXSCRN	Screen, 60" deluxe Insta-Theater
HW-WALLSCR84	Screen, 84" wall/ceiling mount

TECHNICAL SPECIFICATIONS

Native Resolution	• XGA 1024 x 768
Display Technology	• DLP™ by Texas Instruments: 0.7" XGA DMD DDR
Input Sources	• Computer (M1-DA), video (S-Video and RCA), audio (3.5mm mini jack)
Data Input	
Compatibility/Formats	• VGA through SXGA, 1152, Macintosh®
Video Input	• NTSC 3.58, NTSC 4.43, PAL (all),
Compatibility/Modes	• SECAM (all), SDTV (480i), EDTV (480p)
Brightness	• 1100 ANSI lumens
Contrast Ratio	• 800:1 full on/full off
Lamp	• 120-W UHP/2000 Hours
Digital Keystone Correction	• ±15° correction; data/video
Image Offset	• 110%
Projection Lens	• Zoom Lens with manual focus and manual zoom adjust
Throw Ratio	• 1.85 – 2.35:1
Minimum Projection	
Distance (std lens)	• 1.5m - 10m (Full optical performance 2.0m - 6.0m)
Aspect Ratio	• 4:3 (standard); 16:9 video, data
Audible Noise	• 32dB
Number of Colors	• 16.7 million colors
Image size (diagonal)	• 2.7'/0.8m (min) – 22.2'/6.8m (max)
Projection Methods	• Front/rear
Audio	• 3.5 mm mini-jack; 1-Watt speaker
Connectors	• VESA M1-DA, Composite video, S-Video, Mini-jack audio
Control	• Projector keypad; IR remote control; Wired control through USB
Dimensions	• 2.5" (H) x 6.1" (L) x 7.8" (W)
(maximum dimensions)	• 63.4 mm (H) x 148.8 mm (L) x 199.0 mm (W)
Weight (standard)	• 2.4 lbs. / 1.1 kg
Power Supply	• 100V – 240V at 50 – 60 Hz
Power Consumption	• 155 Watts
H-Synch Range	• 15 – 100 kHz
V-Synch Range	• 43.5 – 130 Hz
Pixel Clock	• 12 – 135 MHz
Operating Temperature	• 5° – 40° C at sea level (0 - 10000'); 41° - 95°F
Menu Languages	• English, Norwegian, Spanish, Italian, Portuguese, German, French, Chinese (simple), Chinese (traditional), Japanese
Lamp Warranty	• 90 days
Warranty	• 2 years parts and labor, 1 year ProXchange* *(US, Canada, EU countries, Norway and Switzerland only.)

PROJECTION DISTANCE/IMAGE SIZES*

Distance to Screen	Min. Diagonal Image Size	Max. Diagonal Image Size
5.0'	1.5 m	2.7' 0.8m
10.0'	3.0m	5.3' 1.6m
15.0'	4.6m	8.0' 2.4m
20.0'	6.1m	10.6' 3.2m
30.0'	9.1m	16.0' 4.9m
32.8'	10.0m	17.5' 5.3m

* Image diagonal divided by throw distance ranges from .53 (tele) to .68 (wide) typical.

Call InFocus or your dealer today to arrange a demonstration.

www.infocus.com

InFocus Corporate Headquarters:

In the Americas:
27700B SW Parkway Avenue · Wilsonville, Oregon 97070-9215, USA
Phone: 503-685-8888 · 1-800-294-6400 · Fax: 503-685-8887

In Europe: Olympia 1 · NL-1213 NS Hilversum, The Netherlands
Phone: (31) 35 6474000 · Fax: (31) 35 6423999
Freephone: 008000 4636287 (008000 INFOCUS)

In Asia: 238A Thomson Road · #18-01/04 Novena Square
Singapore 307684 · Telephone: (65) 6334-9005 · Fax: (65) 6333-4525

InFocus and LP are registered trademarks of InFocus Corporation. All other trademarks are used with permission or are for identification purposes only and are the property of their respective companies. ©2002 InFocus Corporation. All rights reserved. 805-0542-01. LP70_DS_E.qxd