PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

ABOUT PROJECTOR.COM

Projector.com (http://www.projector.com) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.

ImagePro 28A7200A

True SVGA (800 x 600) Up to XGA with "Right Size" Image Scaling

300 Lumens Ideal for Controlled Lighting Applications

PC and MAC Compatible

Supplied with 3 Extra Lamps and a Padded Nylon Shoulder Bag. Only 9.3 pounds

Five Year Warranty Program



FEATURES

Compact and lightweight, the **DUKANE ImagePro 7200A** is ideal for the mobile presenter, or as a shared educational resource that needs to be easily transported. Plug and Play PC and MAC compatible. The **ImagePro 7200A** features both svideo and standard RCA type video inputs. The full featured IR remote control is included to make setup and operations easy. Keystone correction of +/- 20% allows this unit to be used with almost any screen angle. Built in stereo amplifier and speakers provides great audio quality from any source. **ImagePro 7200A** also comes complete with padded nylon carry bag and 3 spare lamps.

SPECIFICATIONS

300 Lumens - SVGA Native Resolution - Up to XGA Compressed with "RIGHT SIZE" Image Scaling - Full feature remote control with built in pointer system - Manual Focus - Dual Video Inputs, both s-video and RCA type - Built in Stereo Speakers - Weight 9.3 lbs. - Reversible and/or invertible image for ceiling/rear projection applications - Unit includes a Padded Nylon carry case that holds the unit plus a laptop - Includes 3 extra lamps - Uses EVD Halogen lamps for low replacement cost - Screen Size from 3.3 ft to 13.3 ft. - Covered by DUKANE'S Industry Leading 5 Year Parts and Labor Warranty, 24/7 Free Tech Support and 2 Year Free Peace of Mind Loaner Program - More details on reverse.

PROJECTING YOU INTO THE FUTURE







DUKANE

Model 28A7200A **SVGA Data/Video LCD Projector**

Specifications

Electronic Features

LCD Type 6.5 inch Active Matrix TFT

Colors 16.7 Million, 24 bit

800 x 600, 500 TV Lines (Video) Resolution

Contrast Ratio 150:1 **330 ANSI** Lumens

Projection Distance 59" min. up to 240" max. Image Size 40" min. diagonal up to 160" max. diagonal

Stereo, 3W+ 3W built-in Speakers

Computer Compatibility

IBM VGA compatibles, VESA 72Hz and 75 Hz, Apple Mac family (640x480) (LC, LCII, LCIII, II, IIx, IIcx, IIci, IIsi, IIvx, Iivi, Quadra, Centris, and Powerbook, Power MAC.) NEC PC9801 Series (640x400), NEC PC9821 Series (640x480), Fujitsu FM Towns Series (640x400, 640x480) VESA Standard SVGA Modes (800x600), **NEW**, XGA Compressed (1024 x 768).

Video Compatibility

NTSC/PAL/SECAM, Composite and S-Video.

Mechanical

Projection Lens Manual Focus Keystone Correction Up to 20 degrees Front/Rear/Ceiling **Projection**

Lamp #456-193 400 Watt EVD Halogen – 50 Hours (4x)

Internal fan

Cooling System
Sound System

Stereo 3 Watt Stereo Speakers and Amplifier

Interface Connections

Computer Input (1) D-Sub 15 Pin

Monitor Output (1) HDB-Sub 15 Pin, VGA

Video Input (1) Female RCA

(1) 4-pin Mini DIN S-Video Audio Input (2) Female RCA, Computer

(2) Female RCA, Video

(2) female RCA **Audio Output**

Controls

Main Operate, Reset, Menu, Enter, Arrow Keys Operate, Volume, Freeze, Menu Remote Up, Down, Left, Right, Reset, Mouse

Curtain/Tint, Source, Tracking, Enter/Pointer, Zoom In/Zoom Out,

Contrast/Brightness, Mute

Power Requirements

Operating Voltage 110 VAC 60 Hz or 230 VAC 50 Hz,

Power 550 Watts

Dimensions

10.2"W x 12.5"D X 6.4"H (excluding lens)

Weight

Unit Weight: 9.3 lbs. (6.5 kg) / 15 lbs shipping

Regulatory Compliance

UL/C-UL/FCC Class B; TUV/GS/CE

Accessories (Included)


Remote Control with Batteries, operator's manual, 15 pin VGA/SVGA cable, audio cable, S-Video cable, Composite Video cable, AC power cord, 4 EVD lamps, 15-Pin Mac signal adapter, 15-Pin Mac Monitor adapter, Nylon carrying case

Accessories (Optional)

ATA Case with wheels and retractable handle (#185-293)







Specifications (cont.)

Warranty



Five (5) Year Limited Warranty on Parts and Labor in North America; lamps excluded (for other locations, Local Warranties Apply).

Includes Dukane's FREE TWO YEAR Peace-of-Mind Loaner Program.

Extended Peace-of-Mind program Available.

ImagePro LCD Projector Features

TFT Technology gives the Model 7200A rich, superior images.

"Plug and Play" in less than 2 minutes.

SVGA (800x600) resolution allows reproduction of data with razor sharp accuracy and video images with lifelike color and detail. Also compressed XGA (1024x768) resolution.

XGA (1024x768) resolution is displayed by a new compression system which provides ultra clear images. The full range of resolutions from VGA to XGA can be projected.

Adaptability--manual keystone correction, built in stereo speakers, and full wireless remote control allow this projector to be used anywhere.

Audio Visual Products



Dukane Corporation Audio Visual Products Division 2900 Dukane Drive St. Charles, IL 60174-3395 Phone: (630) 584-2300 Fax: (630) 584-5156 E-mail: avsales@dukane.com

Internet: www.dukane.com Toll-Free: 1 (800) 676-2485 1 (888) 245-1966

Form No. 11383-A-00

Specifications subject to change without prior notice

PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

ABOUT PROJECTOR.COM

Projector.com (http://www.projector.com) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.