PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

ABOUT PROJECTOR.COM

Projector.com (http://www.projector.com) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.




ImagePro 8053 Portable Powerful LCD Projector

- 2700 lumen brightness
- SVGA resolution
- Easy to transport, only 9.9 lbs.
- Full set of features, 5 inputs
- Monitor loopthrough
- Audio output switches with source

Exclusive five year warranty the best warranty in the industry










ImagePro 8053 **Premium-quality LCD projector**

A new way of thinking about projection

The Dukane ImagePro 8053 is a projector that can be easily moved around while still providing higher image brightness and features that make presentations easy. It is simple to use, transport, and can be set up in a minute.

This full-featured LCD projector is ideal for classrooms, conference rooms or other locations where a bright image is required. Use

it as a portable or mount it on the ceiling.



Key features:

- SVGA (800 x 600) resolution
- 2700 ANSI Lumens of brightness
- Vibrant rich colored images
- Easy carry 9.9 lbs.
- Flexibility with 2 computer and 3 video inputs
- Full function remote with mouse/cursor control and laser pointer
- · Audio output switches with selection of video or computer source
- "Custom Image" for your startup and blank screens
- "Silent Running" so you hear only your message
- Vertical and horizontal keystone correction
- Five Year Warranty and Peace of Mind Service
- Picture in Picture and digital zoom
- Component video, HDTV ready

| Image Size 4:3 | | Throw Distance | |
|--------------------|-----------------|----------------|-----------|
| Diagonal Inches | Width Inches | Min, Feet | Max, Feet |
| 40 | 32 | 5.2 | 6.8 |
| 60 | 48 | 7.8 | 10.2 |
| 80 | 64 | 10.6 | 13.7 |
| 100 | 80 | 13.3 | 17.1 |
| 120 | 96 | 16 | 20.5 |
| 150 | 120 | 20.1 | 25.7 |
| 200 | 160 | 26.9 | 34.2 |





Audio Visual Products 2900 Dukane Drive St. Charles, Illinois 60174 www.dukcorp.com/av

Toll-free: 800-676-2485 630-584-5156 Fax: E-mail: avsales@dukcorp.com

Specifications 8053

LCD Type 0.7" polysilicon active-matrix

TFT x3

2700 ANSI lumens Brightness

(2160 lumens in Whisper Mode)

Manual zoom (f1.7 – 2.1), 1.3X

1.98 - 2.56:1 throw distance

800 x 600 pixels (H X V)

Contrast 400:1 fh 15-91 kHz, fv 50-120 Hz

Scanning Frequency

Lens

Lens Throw Ratio

Resolution

to image width **Keystone Correction** Digital, vert. & horiz. (15/5deg)

Aspect Ratio 4:3, 16:9, selectable Computer SVGA, VGA, XGA

Compatibility SXGA/Compressed PC and Mac

13" and Mac 16"

Video Compatibility NTSC, NTSC 4.43, PAL, M-PAL,

N-PAL, PAL60, SECAM

Component Video 480i, 575i, 480p, 1080i, 720p Image Control

Freeze function, electronic magnification, pan and Picture in

Picture

Mouse Control Using USB or PS/2 **Projection Modes** Front/rear/ceiling Color Reproduction 24 bit (16.7 million)

250W UHb Lamp Lamp Life 2000 hours (typical) Audio 2 speaker x 1 watt

Throw Distance 62" to 411"

40" to 200" diagonal Screen Size Inputs, Video (1) Component, RCA X 3 (1) Min DIN 4-pin, s-video (1) RCA, composite video

(1) Audio, Stereo, RCA x 2 Inputs, Computer (2) Signal: D-sub, 15 pin (2) Audio, Stereo, mini jack

Output, Audio (1) Stereo, mini jack **Outputs Monitor** 15 pin, D-sub

Outputs, Control 15 pin, D-sub, RS-232, PS/2, ADB,

USB connector, Mouse control

Kensington lock slot Security **Operating Temperature** 0°- 35°c (32°- 95°F)

Fan Level 40dB, ultra quiet 36dB in Whisper Mode Power AC 100-120V, AC220-240V

50/60 Hz, 410 watt Size (WxHxD) 14.2" x 4.2" x 10.1"

Weight 9.9 lbs. Shipping Weight 20 lbs.

Optional Accessories

Carton Size 14.5" x 12.5" x 18"

Remote control with laser pointer, Accessories Included batteries, power cord, Video/Audio

cable, PS/2 mouse cable, RGB cable, soft case, and operator's

manual.

UL/CUL, FCC Class B, CE, TLIV Safety

> Lamp 456-226; rolling briefcase; 185-406

Five (5) year limited warranty

on parts and labor in North America, lamp excluded (for other locations, local warranties apply).

Includes Dukane's FREE 12 month Peace-of-Mind Loaner Program.



PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

ABOUT PROJECTOR.COM

Projector.com (http://www.projector.com) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.