### PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.


## ABOUT PROJECTOR.COM

Projector.com (<a href="http://www.projector.com">http://www.projector.com</a>) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.



- Education
- Business





- 400 to 1 Contrast Ratio
- Zoom lens at 1.3x
- 1400 lumen brightness
- XGA resolution
- Monitor loopthrough
- Extremely easy to use
- Picture-In-Picture

# Two year warranty



8742 DUKANE

## ImagePro 8742 **Multi-Media LCD projector**

## **Great Data and Super Video Images**

The Dukane ImagePro 8742 is a multimedia projector that employs LCD elements to generate vibrant, full-color images. The 8742 accepts signals from sources like a VCR, DVD player, or PC/MAC computer.

Potential applications are placement on tables and carts, or the projector can be permanently installed in a ceiling

This value packed projector has XGA resolution with advance electronics that permit showing SXGA. An IR remote control permits operation from convenient locations and can turn the projector completely "On" or "Off".



- Multi Media Projector
- XGA 1024 x 768 and Compressed SXGA
- 1400 Lumens for a bright image
- 400:1 Contrast Ratio
- HDTV Compatible
- Digital Keystone Correction
- Kensington Lock Slot for security
- Monitor Loop Thru and Picture -In- Picture
- Zoom Lens with a 1.3x range

Projection throw distances for 4:3 Aspect, in inches (feet)

Image Size in inches (feet)						MIN		Max	
Diagonal		Width		Height		Throw		Throw	
60	(5.0)	48	(4.0)	32	(3.0)	71	(5.9)	92	(7.7)
72	(6.0)	57	(4.7)	43	(3.6)	85	(7.1)	111	(9.3)
84	(7.0)	67	(5.6)	50	(4.2)	99	(8.3)	129	(10.8)
100	(8.3)	80	(6.7)	60	(5.0)	118	(9.8)	154	(12.8)
120	(10.0)	96	(8.0)	72	(6.0)	142	(11.8)	184	(15.3)

Minimum distance to screen is 59 inches (4.9 feet)

## **Specifications**

8742

Image Element 0.7" polysilicon active-matrix

TFT x3

1400 ANSI lumens Brightness

Resolution 1024 x 768 pixels (H x V), XGA

400 to 1 Contrast

Scanning Frequency fh 30-90 kHz, fv 56-85 Hz

Manual zoom & focus lens, 1.3X lens Lens Throw Ratio 1.5 to 1.9:1, throw distance

to image width

Keystone Correction Digital, vertical +/-15 degree

4:3, 16:9, selectable Aspect Ratio SVGA, VGA, XGA, Computer

Compatibility SXGA(Compressed) for PC, and

Mac13" and Mac 16"

Video Compatibility NTSC, NTSC 4.43, PAL,

SECAM, S-video, HDTV (1080i,

720p, 575i)

Picture -In- Picture Video image in computer Image Control Freeze function, electronic

magnification and pan

Mouse Control Using USB Projection Modes Front/rear/ceiling Color Reproduction 24 bit (16.7 million)

150W UHP Lamp

Lamp Life 2000 hours (typical) Audio 1 speaker x 1 watt

Throw Distance 3.5 to 20 ft. Screen Size 35" to 200" Inputs, Video

(1) Min DIN 4-pin, s-video (1) RCA, composite video

(1) Audio, Stereo, RCA x 2

(1) Signal: D-sub, 15 pin Inputs, Computer (1) Audio, PC mini plug

Inputs, Other 15 pin, D-sub RS-232 Service

Outputs Monitor 15 pin, D-sub USB for Mouse control Outputs, other Operating Range 5 to 35 deg. C

Security Kensington lock slot Fan Level 36dB, very quiet Remote Pointer Red laser

AC 100-120V, AC220-240V Power 50/60 Hz, 220 watt

10.5" x 3.5" x 11.4" Size (WxHxD)

5.9 lbs. Weight Shipping Weight 14 lbs.

Carton Size 19.5" x 10.3" x 17.5"

Accessories Included Remote control, batteries, power

> cord, USB cable, RGB cable, operator's manual and

soft carry case.

Safety UL/CUL, EC, FCC Class B Optional Accessories Lamp 456-242; rolling

briefcase; 185-406

Two (2) year limited warranty

on parts and labor in North America, lamp excluded (for other locations, local warranties apply). Includes Dukane's FREE 12 month

Peace-of-Mind Loaner Program.



Audio Visual Products 2900 Dukane Drive St. Charles, Illinois 60174 www.dukcorp.com/av



Toll-free: 800-676-2485 Fax: 630-584-5156

E-mail: avsales@dukcorp.com ImagePro is a registered trademark of Dukane Corporation

### PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

## ABOUT PROJECTOR.COM

Projector.com (<a href="http://www.projector.com">http://www.projector.com</a>) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.