# PLEASE READ

This manual is provided as a free service by Projector.com.


We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

# ABOUT PROJECTOR.COM

Projector.com (<a href="http://www.projector.com">http://www.projector.com</a>) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.





- 2100 lumen brightnessXGA resolution
- Easy to transport, only 6.8 lbs.
- HDTV compatible
- Full set of features, 2 video inputs & 2 computer inputs
- Monitor loopthrough
- Switched Audio Output
- Automatic Keystone Correction



8767A DUKANE

# ImagePro 8767A **Premium-quality LCD projector**

The Dukane ImagePro 8767A is an ultra-portable projector that makes presentation setup fast and easy. Automatic keystone correction, one touch source selection, and color coded cables will ensure a confident carefree presentation every time.

This full-featured LCD projector is ideal for class-rooms, conference rooms or other locations where a bright

image is required. Use it as a portable or mount it on the ceiling.



### **Key features:**

- XGA (1024 x 768) resolution
- 2100 ANSI Lumens of brightness
- Vibrant rich colored images
- Easy carry 6.8 lbs.
- Flexibility with 2 computer and 2 video inputs
- Full function remote with mouse/cursor control
- Audio output switches with selection of either video or computer source
- HDTV compatible
- "Silent Running" so you hear only your message
- Automatic vertical keystone correction
- Two Year Warranty and One Year Peace of Mind Service

#### 8767A Projection Table

Image Size 4:3		Throw Distance	
Diagonal	Width	Min	Max
Inches	Inches	Inches	Inches
30	24	34.1	41.6
60	48	69.7	84.6
80	64	93.4	113.2
100	80	117.1	141.9
120	96	140.8	170.6
150	120	176.3	213.6
200	160	235.6	285.2
300	240	354.1	428.5

Throw ratio 1.5-1.8:1 (distance:width)

# DUKANE

**Audiovisual Products** 2900 Dukane Drive St. Charles, Illinois 60174 www.dukcorp.com/av



Toll-free: 800-676-2485 Fax: 630-584-5156 E-mail: avsales@dukcorp.com

**Specifications** 8767A

Image Element 0.7" polysilicon TFT x3, MLA **Brightness** 

2100 ANSI lumens

(1680 lumens in Whisper Mode) 1024 x 768 pixels (H X V), XGA

400 to 1 Contrast

Resolution

Scanning Frequency fh 15-100 kHz, fv 50-120 Hz Lens Manual zoom, 1.2X Optical

Lens Throw Ratio 1.5 -1.8 to 1 throw distance

to image width

**Keystone Correction** Digital, vertical +/-30 deg, Automatic

Aspect Ratio 4:3, 16:9 selectable Computer SVGA, VGA, XGA, and Compatibility SXGA/UXGA Compressed, Mac 13" and Mac 16"

Video Compatibility NTSC, NTSC 4.43, PAL, PAL-M,

PAL-N, PAL60, SECAM,

HDTV 1080i, 720p, 576p, 480i/p

Freeze function, electronic Image Control magnification and pan

Mouse Control IR remote mouse receiver, USB to PC

**Projection Modes** Front/rear/ceiling Color Reproduction 24 bit (16.7 million)

Lamp 180W, 150W in whisper mode Lamp Life 2000 hours, 3000 in whisper mode

Audio 1 speaker, 1 watt 29" to 430" Throw Distance Screen Size, diagonal 21" to 300"

Inputs, Video S-video, Min DIN 4-pin, with L/R

RCA Audio, Composite video, RCA x 1, with L/R RCA Audio

(2) RGB Signal: D-sub, 15 pin with Inputs, Computer

stereo mini audio

**Outputs Monitor** 15 pin, D-sub Inputs, Control PC control DIN 8 pin

Stereo mini jack (variable audio out) Outputs Audio

Security Kensington slot 35 dB, Ultra quiet Fan Level 30dB in Whisper Mode

41 to 95 deg. F (5-35 deg C) Operating Temperature Power AC 100-120V, AC200-240V

50/60 Hz, 250W (normal), 200W

(whisper), 8W standby Size (WxHxD) 11.6" x 3.7" x10.2"

Weight 6.8 lbs. Shipping Weight 12.6 lbs.

Carton Size 14.7" x 11" x 17.3"

Accessories Included Remote control, batteries, power cord, computer cable, remote mouse

receiver, operator's manual and

soft carry case

UL/CSA, FCC Class B Safety Optional Accessories Lamp 456-8767A

Rolling briefcase; 185-406,

Ceiling mount, universal; PJF-UNV-S

# Three (3) year limited warranty

on parts and labor in North America, lamp excluded (for other locations, local warranties apply).

Includes Dukane's FREE 1 year Peace-of-Mind Loaner Program.



# PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

# ABOUT PROJECTOR.COM

Projector.com (<a href="http://www.projector.com">http://www.projector.com</a>) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.