#### PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

## ABOUT PROJECTOR.COM

Projector.com (<u>http://www.projector.com</u>) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.




IR

# ImagePro 8805 Portable LCD Projector

- 3400 lumen brightness
- XGA resolution
- 800 to 1 contrast ratio
- Full connectivity
- Two PC card slots
- Quick install optional lenses
- Power zoom & auto focus
- Digital keystone correction
- Optional Wireless and wired LAN
- Automatic color correction
- Enhanced security features









# ImagePro 8805 **Portable LCD projector**

The Dukane ImagePro 8805<sup>™</sup> is a versatile solution for the most demanding presentation requirements. Providing realistic colors, sharp contrast, and super bright images, the 8805 is sure to impress.

Auto focus, power zoom, and automatic color corrections make set up and operation fast and easy. Flexible connectivity, networking capability, and enhanced security features make the 8805 a great choice for classrooms, conference rooms, or other locations where a bright image is required.

From the lens to the connector panel, our environmentally friendly projector is precision crafted for performance, quality and long-term reliability.



### Key features:

- 3400 lumen brightness
- XGA resolution
- 800 to 1 contrast ratio
- Full connectivity
- PC card slots
- Quick install optional lenses
- Lamp access on top of projector for easy changing in ceiling mounted applications
- Power zoom & auto focus
- Digital keystone correction
- Optional Wireless and wired LAN
- Automatic color correction
- Enhanced security features
- Three year warranty and One year Peace -of- Mind service



Dukane Corporation Audio Visual Products Division 2900 Dukane Drive St. Charles, Illinois 60174 800-676-2485 toll-free 630-584-5156 fax avsales@dukcorp.com e-mail www.dukcorp/av.com

## Specifications 8805

Image Element **Brightness** Resolution Contrast Scanning Frequency Lens

Lens Throw Ratio

**Keystone Correction** 

Aspect Ratio Computer Compatibility

Video Compatibility

Component Video, Image Control

Mouse Control **Projection Modes Color Reproduction** Lamp Lamp Life Audio

Throw Distance Screen Size, diagonal Inputs, Video

Inputs, Computer

**Outputs Monitor** 

Outputs, Control

Security Fan Level Power

Size (WxHxD) Weight Shipping Weight Carton Size Accessories Included

Safety **Optional Accessories** 

Front/rear/ceiling 24 bit (16.7 million) 275W NSH 2000 hours, 3000 in whisper mode 2 x 5W with volume, bass, treble control 29" to 826" 25" to 500" diagonal (1) Component, BNC x 3 (1) S-video, Min DIN 4-pin, with RCA audio (1) Composite video, with L/R RCA audio (1) Audio, Stereo, RCA x 2 (1) DVI, with audio stereo mini jack (1) RGB Signal: D-sub, 15 pin and audio stereo mini jack (1) RGB Signal: 5-BNC (2) PC Card slot 15 pin, D-sub with audio stereo mini jack PC control DIN 8 pin, RS-232 Audio out, stereo, RCA x 2 Remote, mini jack, USB Type A & B Kensington slot and password 39dB, 34dB in whisper mode Operating Temperature 32 to 95 deg. F (0-35 deg C) AC 100-120V, AC200-240V 50/60 Hz, 390 watt 13.2" x 4.6" x 12.8" 13 lbs. 22 lbs. 20" x 14" x 20" Remote control w/ laser pointer, power cord, computer cable, USB cable, remote control cable, CDROM, operators manual, USB mouse UL/CUL, FCC Class B

1.0" polysilicon TFT x 3, MLA

fh 15-100 kHz, fv 48-120 Hz

1.5-2.1:1 throw distance

horizontal +/-27 deg.

4:3, 16:9, selectable

SVGA, VGA, XGA, and

PAL-N, PAL60, SECAM,

576p, 480i/p

Using USB

SXGA/UXGA Compressed Mac 13" and Mac 16"

NTSC, NTSC 4.43, PAL, PAL-M,

Comp, horz res, 800TV line

Freeze function, electronic magnification and pan

HDTV 1080i,1080i/50 Hz, 720p,

Digital, vertical +/-40 deg.,

Power zoom and focus F=1.74-

(2700 lumens in Whisper Mode)

1024 x 768 pixels (H X V), XGA

3400 ANSI lumens

2.18, Auto focus

to image width

800:1

Lamp 456-8805, Ceiling mount, universal; PJF-UNV-S

Three (3) year limited warranty on parts and labor in North America, lamp excluded (for other locations, local warranties apply).Includes Dukane's FREE 1 year Peace of Mind Loaner Program.



ImagePro is a registered trademark of Dukane Corporation #11631-B-05

#### PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

## ABOUT PROJECTOR.COM

Projector.com (<u>http://www.projector.com</u>) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.