PLEASE READ


This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

ABOUT PROJECTOR.COM

Projector.com (<u>http://www.projector.com</u>) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.



ImagePro 8946 Portable LCD Projector

- 4200 lumen brightness
- XGA resolution
- 800 to 1 contrast ratio
- Full connectivity
- Two PC card slots
- Quick install optional lenses
- Power zoom & auto focus
- Digital keystone correction
- Optional Wireless and wired LAN
- Automatic color correction
- Enhanced security features







ImagePro 8946 **Portable LCD projector**

The Dukane ImagePro 8946[™] is a versatile solution for the most demanding presentation requirements. Providing realistic colors, sharp contrast, and super bright images, the 8946 is sure to impress.

Auto focus, power zoom, and automatic color corrections make set up and operation fast and easy. Flexible connectivity, networking capability, and enhanced security features make the 8946 a great choice for classrooms, conference rooms, or other locations where a bright image is required.

From the lens to the connector panel, our environmentally friendly projector is precision crafted for performance, quality and long-term reliability.



Key features:

- 4200 lumen brightness
- XGA resolution
- 800 to 1 contrast ratio
- Full connectivity
- PC card slots
- Quick install optional lenses
- Lamp access on top of projector for easy changing in ceiling mounted applications
- Power zoom & auto focus
- Digital keystone correction
- Optional Wireless and wired LAN
- Automatic color correction
- Enhanced security features
- Three year warranty and One year Peace -of- Mind service



Dukane Corporation Audio Visual Products Division 2900 Dukane Drive St. Charles, Illinois 60174 800-676-2485 toll-free 630-584-5156 fax avsales@dukcorp.com e-mail www.dukcorp/av.com

Specifications 8946 Image Element

Brightness Resolution Contrast Scanning Frequency Lens

Lens Throw Ratio

Keystone Correction

Aspect Ratio Computer Compatibility

Video Compatibility

Component Video, Image Control

Mouse Control **Projection Modes Color Reproduction** Lamp Lamp Life Audio

Throw Distance Screen Size, diagonal Inputs, Video

Inputs, Computer

Outputs Monitor

Outputs, Control

Security Fan Level Power

Size (WxHxD) Weight Shipping Weight Carton Size Accessories Included

Safety

1.0" polysilicon TFT x 3, MLA 4200 ANSI lumens (3400 lumens in Whisper Mode) 1024 x 768 pixels (H X V), XGA 800:1 fh 15-100 kHz, fv 48-120 Hz Power zoom and focus F=1.74-2.18, Auto focus 1.5-2.1:1 throw distance to image width Digital, vertical +/-40 deg., horizontal +/-35 deg. 4:3, 16:9, selectable SVGA, VGA, XGA, and SXGA/UXGA Compressed Mac 13" and Mac 16" NTSC, NTSC 4.43, PAL, PAL-M, PAL-N, PAL60, SECAM, HDTV 1080i,1080i/50 Hz, 720p, 576p, 480i/p Comp, horz res, 800TV line Freeze function, electronic magnification and pan Using USB Front/rear/ceiling 24 bit (16.7 million) 300W NSH 2000 hours, 3000 in whisper mode 2 x 5W with volume, bass, treble control 29" to 826" 25" to 500" diagonal (1) Component, BNC x 3 (1) S-video, Min DIN 4-pin, with RCA audio (1) Composite video, with L/R RCA audio (1) Audio, Stereo, RCA x 2 (1) DVI, with audio stereo mini jack (1) RGB Signal: D-sub, 15 pin and audio stereo mini jack (1) RGB Signal: 5-BNC (2) PC Card slot 15 pin, D-sub with audio stereo mini jack PC control DIN 8 pin, RS-232 Audio out, stereo, RCA x 2 Remote, mini jack, USB Type A & B Kensington slot and password 39dB, 34dB in whisper mode Operating Temperature 32 to 95 deg. F (0-35 deg C) AC 100-120V, AC200-240V 50/60 Hz, 415 watt 13.2" x 4.6" x 12.8" 13 lbs. 22 lbs. 20" x 14" x 20" Remote control w/ laser pointer, power cord, computer cable, USB cable, remote control cable,

Optional Accessories

Three (3) year limited warranty on parts and labor in North America, lamp excluded (for other locations, local warranties apply).Includes Dukane's FREE 1 year Peace of Mind Loaner Program.

CDROM, operators manual,

Lamp 456-8946, Ceiling mount,

UL/CUL, FCC Class B

universal; PJF-UNV-S



ImagePro is a registered trademark of Dukane Corporation #11662-B-05

PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

ABOUT PROJECTOR.COM

Projector.com (<u>http://www.projector.com</u>) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.