

PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

ABOUT PROJECTOR.COM

Projector.com (<http://www.projector.com>) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.



DP-1200X LCD Projector

*Another Great
Vivitar Product!*

SPECIFICATIONS

Type	LCD Digital Projector
Projection System	3 Panel 0.7" LCD Projector
Projection Modes	Front, rear, ceiling
Resolution	1024 x 768 x 3
Brightness	1300 ANSI Lumens
Uniformity	80%
Zoom	Manual zoom (1.3X)
Lens	Focal length: 21.5 mm - 28mm
Remote Control	IR Remote (Included)
Contrast Ratio	400:1
Screen Size	40-200 Inches
Projection Distance	5-50 feet (1.64 - 16.35 Meter)
Projection Angle	21° - 27°
Compatibility	Horizontal frequency 15-91 KHz Vertical frequency 50-85 Hz Pixel rate 12-157 MHz
Color	24 Bits
Keystone Correction	Vertical: +/- 15 Degree Horizontal: +/- 10 Degree
PIP	Graphics on video, video on graphics
Audio System	2 Channels, 1 W per channel
Video Inputs	NTSC, PAL, or SECAM. Composite, component, or S-Video, signals.
Computer Input	VGA(resized), SVGA(resized), XGA, SXGA(resized)
Input Source	Automatic detection of: computer graphics or DVI, HDTV, YCbCr, S-Video, AV
Language Support (2)	English & Chinese
Remote Mouse	PS2 & USB (not included) - optional
Remote Control	Multifunctional with laser pointer
Accessories	Power, VGA, and Video cables
Lamp	150 W EHP
Lamp Life Expectancy	1500 Hours
Acoustic Noise	< 35 dBA
Power Input	100-240 V, 50-60 Hz
Power Consumption	210 W
Weight	5.8 Lbs.
Dimensions	270 x 210 x 70 mm
Warranty	One year (excluding lamp)
SKU	60135
UPC Code	019643-60135-2

Specifications subject to change without notice © 2003 Vivitar Corporation, E & OE

Features:

- High Quality XGA Projection (1024 x 768)
- 1300 ANSI Lumens
- Accepts All Standard Signal Inputs:
 - Composite Video From VHS/DVD Player, TV, Playstation, PS2, Xbox, Camcorder, or Digital Camera
 - S-Video From DVD Player or VHS Player
 - Component Video
 - VGA or DVI Signal From Your Desktop or Notebook Computer
- Includes IR Remote Controller With Integral Laser Pointer and Remote Mouse Control Capability
- Integral Speaker
- Picture-In-Picture Modes
- Less Than 6 Pounds – Fits In A Briefcase

DP-1200X

PRELIMINARY, Rev. 2

VIVITAR Corporation
1280 Rancho Conejo Blvd.
Newbury Park, CA 91320
(805)498-7008

PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

ABOUT PROJECTOR.COM

Projector.com (<http://www.projector.com>) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.