PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

ABOUT PROJECTOR.COM

Projector.com (http://www.projector.com) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.

HOME ENTERTAINMENT



DP-1500X



LCD Projector Another Great

Vivitar Product!

Features:

- High Quality XGA Projection (1024 x 768)
- 1800 ANSI Lumens
- Accepts All Standard Signal Inputs:
 - Composite Video From VHS/DVD Player, TV, Playstation, PS2, XBox, Camcorder, or Digital Camera
 - S-Video From DVD Player or VHS Player
 - Component Video
 - VGA or DVI Signal From Your Desktop or Notebook Computer
- Includes IR Remote Controller With Integral Laser Pointer
- Picture-In-Picture Capability
- Remote Mouse Function (option)
- Integral Speakers
- Manual Zoom

J F L	FICATIONS
Туре	LCD Digital Projector
Projection System	3 Panel 0.9" LCD Projector
Projector Modes	Front, rear, ceiling
Resolution	1024 x 768 x 3
Brightness	1800 ANSI Lumens
Uniformity	85%
Zoom	Manual zoom (1.3X)
Lens	Focal length: 37.8 - 49.2mm
Remote Control	IR Remote (Included) with laser pointer
Contrast Ratio	400:1
Screen Size	40-300 Inches
Projection Distance	5-50 feet (1.64 - 16.35 Meter)
Projection Angle	21° - 27°
Compatibility	Horizontal frequency 15-91 KHz Vertical frequency 50-85 Hz Pixel rate 12-157 MHz
Color	24 Bits
Keystone Correction	+/- 15 Degree horizontal
PIP	Video-graphics, graphics on video
Audio System	2 Channels, 1 W per channel
Video Inputs	NTSC, PAL, or SECAM. Composite, component, or S-Video, signals.
Input Source	Automatic detection of: computer graphics or DVI; component, composite, or s-video
OSD	Languages (2) English, Chinese
Accessories	Power cord, VGA, and Video cables, carrying case
Lamp	150 W UHE
Lamp Life Expectancy	2000 Hours
Acoustic Noise	< 38 dB
Power Input	100-240 V, 50-60 Hz
Power Consumption	210 W
Weight	7.9 Lbs. (3.6KG)
Dimensions	11.7 (W) x 9.8 (D) x 3.8 (H) Inches (297 x 248 x 96mm)
Warranty	One year - excluding lamp
Specifications subject to change without notice © 2003 Vivitar Corporation. E & OE PRELIMINARY, Rev. 3	

DP-1500X

VIVITAR Corporation 1280 Rancho Conejo Blvd. Newbury Park, CA 91320

PLEASE READ

This manual is provided as a free service by Projector.com.

We are in no way responsible for the contents of the manual. We do not guarantee its accuracy and we do not make any claim of copyright. The copyright remains the property of their respective owners.

ABOUT PROJECTOR.COM

Projector.com (http://www.projector.com) is your review and buying guide resource for DLP and LCD video projectors.

Visit the site to read the latest projector news and reviews, read and comment on projector specifications, download user manuals and much more.